



Product data sheet (in accordance with EU regulation no. 811/2013, 812/2013)

1	Brand name		Vaillant						
2	Models	A	VIH GB 120/3 BES						
		B	VIH GB 120/3 BES						
		C	VIH GB 150/3 BES						
		D	VIH GB 150/3 BES						
		E	VIH GB 180/3 BES						
		F	VIH GB 180/3 BES						
			A	B	C	D	E	F	
3	Hot water generation: Energy-efficiency class	-	-	A	C	A	C	B	B
4	Heat retention losses	S	W	34,6	70,0	36,0	75,0	46,3	46,3
5	Cylinder volume	V	I	114,8	121,0	144,9	141,4	175,2	175,2
6	 All of the data that is included in the product information was determined by applying the specifications of the relevant European directives. Differences to product information listed elsewhere may result in different test conditions. Only the data that is contained in this product information is applicable and valid.								






Product data sheet (in accordance with EU regulation no. 811/2013, 812/2013)

1	Brand name		<i>Vaillant</i>						
2	Models	<i>G</i>	<i>VIH GB 200/3 BES</i>						
		<i>H</i>	<i>VIH GB 200/3 BES</i>						
		<i>I</i>	<i>VIH GB 250/3 BES</i>						
		<i>J</i>	<i>VIH GB 250/3 BES</i>						
		<i>K</i>	<i>VIH GB 300/3 BES</i>						
		<i>L</i>	<i>VIH GB 300/3 BES</i>						
			<i>G</i>	<i>H</i>	<i>I</i>	<i>J</i>	<i>K</i>	<i>L</i>	
3	Hot water generation: Energy-efficiency class	-	-	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>
4	Heat retention losses	<i>S</i>	<i>W</i>	50,8	50,8	58,8	58,8	66,3	66,3
5	Cylinder volume	<i>V</i>	<i>I</i>	194,0	194,0	244,8	244,8	284,3	284,3
6	 All of the data that is included in the product information was determined by applying the specifications of the relevant European directives. Differences to product information listed elsewhere may result in different test conditions. Only the data that is contained in this product information is applicable and valid.								






Product information (in accordance with EU regulation no. 813/2013, 814/2013)

2	Models	A	VIH GB 120/3 BES						
		B	VIH GB 120/3 BES						
		C	VIH GB 150/3 BES						
		D	VIH GB 150/3 BES						
		E	VIH GB 180/3 BES						
		F	VIH GB 180/3 BES						
			A	B	C	D	E	F	
7	Cylinder volume	V	<i>l</i>	114,8	121,0	144,9	141,4	175,2	175,2
8	Heat retention losses	S	<i>W</i>	34,6	70,0	36,0	75,0	46,3	46,3
9	 All specific precautions for assembly, installation and maintenance are described in the operating and installation instructions. Read and follow the operating and installation instructions.								
10	 Read and follow the operating and installation instructions regarding assembly, installation, maintenance, removal, recycling and/or disposal.								
11	 All of the data that is included in the product information was determined by applying the specifications of the relevant European directives. Differences to product information listed elsewhere may result in different test conditions. Only the data that is contained in this product information is applicable and valid.								



Product information (in accordance with EU regulation no. 813/2013, 814/2013)

2	Models		<i>G</i>	<i>VIH GB 200/3 BES</i>					
			<i>H</i>	<i>VIH GB 200/3 BES</i>					
			<i>I</i>	<i>VIH GB 250/3 BES</i>					
			<i>J</i>	<i>VIH GB 250/3 BES</i>					
			<i>K</i>	<i>VIH GB 300/3 BES</i>					
			<i>L</i>	<i>VIH GB 300/3 BES</i>					
			<i>G</i>	<i>H</i>	<i>I</i>	<i>J</i>	<i>K</i>	<i>L</i>	
7	Cylinder volume	<i>V</i>	<i>I</i>	194,0	194,0	244,8	244,8	284,3	284,3
8	Heat retention losses	<i>S</i>	<i>W</i>	50,8	50,8	58,8	58,8	66,3	66,3
9	 All specific precautions for assembly, installation and maintenance are described in the operating and installation instructions. Read and follow the operating and installation instructions.								
10	 Read and follow the operating and installation instructions regarding assembly, installation, maintenance, removal, recycling and/or disposal.								
11	 All of the data that is included in the product information was determined by applying the specifications of the relevant European directives. Differences to product information listed elsewhere may result in different test conditions. Only the data that is contained in this product information is applicable and valid.								

